



भारत का राजपत्र The Gazette of India

असाधारण
EXTRAORDINARY

भाग II—खण्ड 3—उप-खण्ड (ii)
PART II—Section 3—Sub-Section (ii)

प्राधिकार से प्रकाशित
PUBLISHED BY AUTHORITY

सं. 238]

नई दिल्ली, सोमवार, मई 1, 1989/वैशाख 11, 1911

No. 238]

NEW DELHI, MONDAY, MAY 1, 1989/VAISAKHA 11, 1911

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में
रखा जा सके

Separate Paging is given to this Part in order that it may be filed as a
separate compilation

संसार मंत्रालय

(डाक विभाग)

नई दिल्ली, 9 मई, 1989

अधिसूचना

का. प्रा. 314(अ).—भारतीय डाकघर अधिनियम, 1898 (1898 का 6) की धारा 21 द्वारा प्रदत्त शक्तियों का प्रयोग करते हुए केन्द्रीय सरकार एतद्वारा भारतीय डाकघरनियमावली, 1933 में धारा और संशोधन करने के लिए निम्नलिखित नियम बनाती है, अर्थात्:—

1. (1) इन नियमों की भारतीय डाकघर नियम (9 वां संशोधन), 1989 कहा जाए।
- (2) यहसे मई, 1989 से लागू होगे।
2. भारतीय डाकघर नियमावली, 1933 की अनुसूची में नियम 50A के नीचे।

(क) अनुसूची 1 में

(i) कालम 1 में शीर्षक "दिल्ली के अंतर्गत सब 9 के बाद निम्नलिखित मदे जोड़ दी जायें, अर्थात्:—

"10. सफ़दरखंज छंटाई कार्यालय

(11 कालकाजी डाकघर"

(ii) कालम 2 में क्रम सं. 34 के बाद और कालम 3 और 4 में उससे संबंधित प्रविष्टियां निम्नलिखित क्रम संख्या और प्रविष्टियां जोड़ दी जायें, अर्थात्:—

1	2	3	4
35. कतार	20 कि. प्रा.	इसका आकार किसी भी ओर से 1.50 मीटर या लम्बाई के अलावा किसी अन्य परिमाण से मापी गई सर्वाधिक परिधि और लम्बाई का जोड़ा 3 मीटर से अधिक नहीं होना चाहिए।	

(ख) अनुसूची-II में:—

(i) कालम 1 में शीर्षक "दिल्ली के अंतर्गत सब 9 के बाद निम्नलिखित मदे जोड़ दी जायें, अर्थात्:—

"10 सफ़दरखंज छंटाई कार्यालय

11. कालकाजी 'डाकघर'

- (ii) कालम 2 में क्रम संख्या 19 के बाद और कालम 3 और 4 में उससे संबंधित प्रविष्टियां निम्नलिखित क्रम संख्याएं और प्रविष्टियां जोड़ी जाएं, अर्थात् :—

1	2	3	4
20. सिंगापुर	कि. ग्राम.	इसका आकार किसी भी ओर से 1.50 मीटर लंबाई के अलावा किसी अन्य परिमाण से मापी गई सर्वाधिक परिधि और लंबाई का जोड़ा 2 मीटर से अधिक नहीं होना चाहिए।	
21. नार्वे	20 कि. ग्र.	इसका आकार किसी भी ओर से 1.50 मीटर या लंबाई के अलावा किसी अन्य परिमाण से मापी गई सर्वाधिक परिधि और लंबाई का जोड़ा 3 मीटर से अधिक नहीं होना चाहिए।	
22. कोरिया मन्चूरिया	20 कि. ग्र.	इसका आकार किसी भी ओर से 105 सें.मी. या लंबाई के अलावा किसी अन्य परिमाण से मापी गई सर्वाधिक परिधि और लंबाई का जोड़ा 200 सें.मी. से अधिक नहीं होना चाहिए।	
23. पुर्तगाल	20 कि. ग्र.	इसका आकार किसी भी ओर से 1.50 मीटर या लंबाई के अलावा किसी अन्य परिमाण से मापी गई सर्वाधिक परिधि और लंबाई का जोड़ा 2 मीटर से अधिक नहीं होना चाहिए।	
24. जर्मन	20 कि. ग्र.	लंबाई, चौड़ाई घेरा 900 मी. मी. से अधिक नहीं होना चाहिए और कोई भी परिमाण 600 मी.मी. से अधिक नहीं होनी चाहिए। बेल्नाकार रूप में लंबाई में घेरे का दायरा 1040 मी. मी. और लंबाई 900 मी.मी. से अधिक न होनी चाहिए।	

[सं. 51-5/86—जी. ए/सं. II]

भार. एन डे., सदस्य (प्रकाशन), सदस्य
एवं पदेन अपर सचिव

MINISTRY OF COMMUNICATIONS

(Department of Posts)

New Delhi, the 1st May, 1989

NOTIFICATION

S.O. 314(E) :—In exercise of the powers conferred by section 21 of the Indian Post Office Act, 1898 (6 of 1898), the Central Government hereby makes the following rules further to amend the Indian Post Office Rules, 1933, namely:—

2. (1) These rules may be called the Indian Post Office (9th Amendment) Rules, 1989.

(2) They shall come into force on the 1st day of May 1989.

3. In the Schedule below rule 50C. of the Indian Post Office Rules, 1933, —

(a) in schedule I

(i) in column 1, under the heading "Delhi", after item 9, the following items shall be inserted, namely :—

"10. Safdarjung Sorting Office

11. Kalkaji P.O."

(ii) in column 2, after serial number 34 and the entries relating thereto in columns 3 and 4, the following serial numbers and entries shall be inserted, namely :—

1	2	3	4
35. Qatar	20Kg.	Size shall not exceed 1.50 metres for any one dimension or three metres for the sum of length and the greatest circumference measured in a direction other than that of the length.	

(b) in Schedule II

(i) in column 1, under the heading "Delhi", after item 9, the following item shall be inserted, namely :—

"10. Safdarjung Sorting Office

11. Kalkaji P.O."

(ii) in column 2, after serial number 19 and the entries relating thereto in columns 3 and 4, the following serial numbers and entries relating thereto shall be inserted, namely :—

1	2	3	4
20. Singapore	20 Kg	Size shall not exceed 1.05 metres for any one dimension or two metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.	

1	2	3	4	1	2	3	4
21. Norway	20 Kg	Size shall not exceed 1.50 metres for any one dimension or three metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.					and two metres for the sum of the length and the greatest circumference measured in a direction other than that of the length.
22. Republic of Korea	20 Kg	Size shall not exceed 105 Cms for any one dimension or 200 Cms for the sum of the length and the greatest circumference measured in a direction other than that of the length.		24. Oman	20 Kg		Length plus breadth plus girth should not exceed 900 mm and no single dimension should exceed 600 mm. In roll form the length plus twice the diameter should not exceed 1040 mm and the length should not exceed 900 mm.
23. Portugal	20 Kg	Size shall not exceed 1.05 metres for any one dimension					

[No. 51-5/86-DA/Vol.II]

R.N. DEY, Member (Operations)
Deptt. of Posts and Ex-Officio add. Secy.

